

## Overview

### Product information



## FMEH-04P-13020000042

DIN rail housings, Complete housing with metal foot catch,tall design,with TBUS options, with vents,Width:22.6mm,Color: light gray,material:PA66,Flammability rating :V0.

### Product advantages

- Modular design
- Multiple connection technologies optional, signal, data,and power transmission can be realized
- bus connector is optional
- Various personalized solutions can be achieved according to customer needs

### Product certification

## Technical data

### Product drawing

### 3D model

□

### Dimensions

width	22.6mm
length	99mm
Height	114mm
Depth from top edge of DIN rail	107mm

### PCB data

Number of PCB holders	1
PCB thickness	1.5mm
Installation location	Vertical (horizontal DIN rail)
PCB type of installation	Latching

#### Item properties

IP class	IP20
Connection levels	3(Both sides)
with ventilation openings	Yes
Maximum connection	24 (pitch 5.0mm)

#### Material data

color	Light gray
Material	PA66
Flammability rating	V0

#### Environmental data

Ambient temperature (assembly)	-5°C ~ +100°C
Ambient temperature (operation)	-40°C ~ +125°C
Ambient temperature (storage / transport)	-40°C ~ +55°C

#### Accessories

##### Accessories

PCB Plug	2EDGKF-5.0-04P-11-00A(H)
PCB Socket	2EDGLF-5.0-04P-11-00A(H)
The bus terminal	FBUS22.5-05P-11-00A(H)

#### Business data

Order number	13020000042
Packing unit	20
Minimum order quantity	20
Products weight (without packaging)	49

