


## Overview

### Product information



## FMET-02P-13020000065

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 12.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating :V0,IP class:IP20.

### Product advantages

- Modular design
- Multiple connection technologies optional, signal, data,and power transmission can be realized
- bus connector is optional
- Various personalized solutions can be achieved according to customer needs

### Product certification

## Technical data

### Product drawing

### 3D model

□

### Dimensions

width	12.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

### PCB data

Number of PCB holders	1
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCB type of installation	Latching

### Item properties

IP class	IP20
Connection levels	2(Both sides)
with ventilation openings	Yes
Maximum connection	8 (pitch 5.0mm)

### Material data

color	green
Material	PA66
Flammability rating	V0

### Environmental data

Ambient temperature (assembly)	-5°C ~ +105°C
Ambient temperature (operation)	-40°C ~ +105°C
Ambient temperature (storage / transport)	-40°C ~ +55°C

### Accessories

#### Accessories

PCB Plug	2EDGKF-5.0-02P-14-00A(H)
PCB Socket	2EDGLF-5.0-02P-14-00A(H)

### Business data

Order number	13020000065
Packing unit	32
Minimum order quantity	32
Products weight (without packaging)	42.9

