

Overview

Product information



FMET-03P-13020000254

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 17.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating :V0,IP class:IP20.

Product advantages

- Modular design
- Multiple connection technologies optional, signal, data,and power transmission can be realized
- bus connector is optional
- Various personalized solutions can be achieved according to customer needs

Product certification

Technical data

Product drawing

3D model

□

Dimensions

width	17.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

PCB data

Number of PCB holders	2
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCB type of installation	Latching

Item properties

IP class	IP20
Connection levels	2(Both sides)
with ventilation openings	Yes
Maximum connection	12 (pitch 5.08mm)

Material data

color	green
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5°C ~ +105°C
Ambient temperature (operation)	-40°C ~ +105°C
Ambient temperature (storage / transport)	-40°C ~ +55°C

Accessories**Accessories**

PCB Plug	2EDGKF-5.0-03P-14-00A(H)
PCB Socket	2EDGLF-5.0-03P-14-00A(H)

Business data

Order number	13020000254
Packing unit	24CS
Minimum order quantity	24
Products weight (without packaging)	46.8

